

To: Milenka Hawkins-Bates[Milenka.Hawkins-Bates@ci.bremerton.wa.us]
From: Thomas Knuckey
Sent: Fri 9/21/2018 12:34:28 PM
Subject: Bremerton Gas Works 104(e) information request
[attachment.ics](#)
[TM-Pub Hrg w-plan 11-24-09.pdf](#)
[City of Bremerton BGW 104\(e\) 180829.pdf](#)
[Bremerton - 104\(e\) Info Request Template 8-1-18.doc](#)
[BGW Fig. 5-1 & 5-2 Investigation Area.pdf](#)

Knuckey

September 17, 2018 11:35 AM

@parametrix.com'

n; Kelli Lambert; Kylie Purves; Amanda Harvey

Bremerton Gas Works 104(e) information request

City of Bremerton BGW 104(e) 180829.pdf; Bremerton - 104(e) Info Request Template 8-1-18.doc; BGW Fig. 5-1 & 5-2 Investigation Area.pdf

Hi Dave – attached is the information request I mentioned a few minutes ago – I just love the partnering tone of the letter...

Would you be available next week for a 1+/- hour meeting to discuss this site? We need to get started in responding to this request and it would be very helpful to pick your brain for background. Also, if you could forward the letter on the site that you mentioned that would be very helpful.

Chal - FYI

Tom Knuckey, P.E.

City Engineer

City of Bremerton

Desk (360) 473-2376/Cell (360) 509-0870

thomas.knuckey@ci.bremerton.wa.us

From: Kelli Lambert
Sent: Monday, September 17, 2018 10:08 AM
To: Thomas Knuckey <Thomas.Knuckey@ci.bremerton.wa.us>
Cc: Kylie Purves <Kylie.Purves@ci.bremerton.wa.us>; Allison Satter

<Allison.Satter@ci.bremerton.wa.us>

Subject: FW: Bremerton Gas Works 104(e) information request

Tom,

We received the attached information request from EPA – we'll need Engineering's help on coordinating a response. We should meet after you've had a chance to review the letter.

Thanks –

Kelli

From: DeMaria, Eva [<mailto:DeMaria.Eva@epa.gov>]

Sent: Thursday, August 30, 2018 3:48 PM

To: Kelli Lambert <Kelli.Lambert@ci.bremerton.wa.us>

Subject: Bremerton Gas Works 104(e) information request

Hi Kelli-

I wanted to let you know that the Bremerton Gas Works 104(e) information request letter was just sent by certified mail. I have attached what was sent to the Mayor. The 90-day clock begins when the certified mail has been received. Let me know if you have questions or need an extension. Thanks.

Eva

Eva DeMaria

U.S. Environmental Protection Agency |Office of Environmental Cleanup| Site Cleanup Unit 2

1200 Sixth Avenue | Suite 155, M/S ECL-122 | Seattle, Washington 98101

(206) 553-1970

demaria.eva@epa.gov

